Pennington Borough Water Department 2019 Annual Drinking Water Quality Report

For the Year 2018

The Pennington Water Company, PWS ID #1108001, is pleased to present you with this year's *Annual Water Quality Report*. This report is designed to inform you about the quality of water and the services we deliver to you every day. We are committed to providing you with a safe and dependable supply of drinking water, making every effort to protect our water resources and improving the water treatment process. We work hard to provide top quality water to every tap.

As part of our operations, we routinely monitor for constituents in your drinking water according to Federal and State laws. The most recent laboratory test results of our monitoring for the period from 2015 through 2018 are presented and described in the Test Results table of this flyer.

We are pleased to report that our drinking water this year, as in years past, met all Environmental Protection Agency (EPA) and State of New Jersey (State) drinking water quality standards.

In light of the events of the past years and in response to the State's Domestic Security Preparedness Act, we have reviewed the security of our facilities and our operations. We will continue to review these elements of our system and remain observant of our surroundings. We ask that all of our customers help us protect our water resources which are the heart of our community, our way of life, and our children's future.

An Important Message About an Individual's Vulnerability

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife;
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharge, oil and gas production, mining, or farming;
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems;
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

SPECIAL CONSIDERATIONS REGARDING CHILDREN, PREGNANT WOMEN, NURSING MOTHERS AND OTHERS

Children may receive a slightly higher amount of a contaminant present in the water than do adults, on a body weight basis, because they may drink a greater amount of water per pound of body weight than do adults. For this reason, reproductive or developmental effects are used for calculating a drinking water standard if these effects occur at lower levels than other health effects of concern. If there is insufficient toxicity information for a chemical (for example, lack of data on reproductive or developmental effects), an exact uncertainty factor may be incorporated into the calculation of the drinking water standard, thus making the standard more stringent, to account for additional uncertainties regarding these effects. In the cases of lead and nitrate, effects on infants and children are the health end points upon which the standards are based.

ARSENIC

While our drinking water meets New Jersey Department of Environmental Protection's (NJDEP) standard for arsenic, it does contain low levels of arsenic. NJDEP's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The NJDEP and the US Environmental Protection Agency (EPA) continue to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Pennington Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your cold water pipes; run the cold water until its colder before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water is available from the Safe Drinking Water Hotline or at *https://www.epa.gov/your-drinking-water/basic-information-about-lead-drinking-water* and *http://nj.gov/health/ceohs/documents/dw_lead_factsheet.pdf*.

NITRATE

Nitrate in drinking water at levels above 10 ppm is a health risk for infants less than six months of age. High nitrate levels in drinking water can cause "blue baby syndrome". Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

FROM WHERE DOES OUR WATER COME?

Our water is provided from four active wells located around the Borough. These wells range in age from 25 to 61 years old, are between 270 and 400 feet deep, and collect water via fractures in the bedrock from the Passaic formation. Each year we deliver approximately 80 million gallons of water to our customers.

The water storage tank provides the Pennington Water System with about one day's worth of water storage which can be utilized in the event of a major emergency or fire; that is, a supplemental water supply to meet large water demands. The water storage tank also aids in equalizing water pressure throughout the water system.

MONITORING WAIVERS

The Safe Drinking Water Act regulations allow monitoring waivers to reduce or eliminate the monitoring requirements for asbestos, volatile organic chemicals and synthetic organic chemicals. Our system received monitoring waivers for asbestos and synthetic organic chemicals. To ensure the continued quality of our water, we disinfect it using a sodium hypochlorite solution (chlorine).

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

TREATMENT TECHNIQUES

By law, our water is disinfected to eliminate any microbiological organisms that might be in the water. All four of our wells are equipped with a chlorine liquid (sodium hypochlorite) injection system, which is safer for our staff than the chlorine gas injection used in the past.

As the disinfection occurs, some of the chlorine remains available in the water at a low concentration level. Every day, we monitor the level of this residual chlorine to ensure the correct amount of chlorine is injected. Thus, we are sure that disinfection is complete, but we do not over chlorinate. In addition, we monitor the residual chlorine level at each well and in the water distribution system on a daily basis.

We do not add fluoride to our drinking water.

MONITORING

In order to ensure that the quality of our water is consistently maintained, we monitor for approximately 100 constituents in the raw water withdrawn from our wells. Many of these constituents are either not present or cannot be detected by the laboratory equipment. A handful of constituents have been detected which are listed in the Table on the following page. All monitoring requirements and the associated results can be found on New Jersey Drinking Water Watch (*https://www9.state.nj.us/DEP_WaterWatch_public/*). The Borough's PWSID# is 1108001.



We are proud that our drinking water regularly meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected at low levels. Although these levels are not high enough to require special treatment, they are periodically watched to ensure they remain low.

In cases where constituents are removed by treatment, the levels of these constituents are monitored in the raw water and the treated water twice a month. This helps us to ensure the treatment is working properly and allows us to see trends in the quality of the raw water so that treatment techniques can be modified if required.

TERMS AND ABBREVIATIONS

- AL *Action Level* is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- **LRAA-** Locational Running Annual Average is the average sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.
- MCL *Maximum Contaminant Level* is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- MCLG *Maximum Contaminant Level Goal* is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- MRDL *Maximum Residual Disinfectant Level* is the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- MRDLG *Maximum Residual Disinfectant Level Goal* is the level of a drinking water disinfectant, below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.
- ND Non-Detects refers to when laboratory analysis indicates that the constituent is not present.
- NJDEP New Jersey Department of Environmental Protection
- pCi/L *Picocuries per liter* is a measure of the radioactivity in water.
- **ppb** *Parts per billion* (also known as Micrograms per liter) is one part per billion which corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.
- **ppm** *Parts per million* (also known as Milligrams per liter) is one part per million which corresponds to one minute in two years or a single penny in \$10,000.
- **RUL** *Recommended Upper Limit* is the recommended maximum concentration of a Secondary Contaminant. These reflect aesthetic qualities such as odor, taste or appearance. RULs are recommendations, <u>not</u> mandates.
- **SEC** *Secondary Contaminant* is a substance that does not have an impact on health. Secondary Contaminants affect aesthetic qualities such as odor, taste or appearance. Secondary standards are recommendations, not mandates.
- TT A *Treatment Technique* is a required process intended to reduce the level of a contaminant in drinking water.
- USEPA United States Environmental Protection Agency

Contaminant Violatio n Y/N		Level Detected	Units of Measurement	MCLG	MCL	Likely Source of Contamination				
Radioactive Contaminants										
Gross Alpha	Ν	Range = $3.66 - 8.34$	pCi/L	0	15	Erosion of natural deposits.				
Fest Results Years 2015 – 2018	1,	Highest detect = 8.34	pent	Ŭ	15	Liosion of matural deposits.				
Combined Radium 228 & 226	N	Range = ND	pCi/L	0	5	Erosion of natural deposits.				
Test Results Years 2015 – 2018		Highest detect = ND	perz	Ű	U					
Combined Uranium	N	Range = $3.2 - 6.0$	ppb	0	30	Erosion of natural deposits.				
Test Results Years 2015 – 2018		Highest detect = 6.0	FF-	Ť		F				
norganic Contaminants										
Arsenic	Ν	Range = $3.5 - 5$	ppb	0	5	Erosion of natural deposits; runoff from orchards				
Test Results Year 2018		Highest detect = 5	PPC	Ű	U	runoff from glass and electronics production was				
Barium	N	Range = $0.259 - 0.750$	ppm	2	2	Discharge of drilling wastes; discharge from				
Test Results Year 2018	1,	Highest detect = 0.750	PPIII	-	-	metal refineries; erosion of natural deposits.				
Chromium	N	Range = $4.90 - 7.20$	ppb	100	100	Discharge from steel and pulp mills; erosion of				
Fest Results Year 2018	1,	Highest detect = 7.20	ppo	100	100	natural deposits.				
Copper	N	90th % tile = 236	ppb	1,300	AI - 1 300	Corrosion of household plumbing systems;				
Test Results Year 2018	1	50th /0the = 250	рро	1,500	AL = 1,500	erosion of natural deposits.				
Lead	N	90th %tile = 8.7	ppb	0	AL = 15	Corrosion of household plumbing systems;				
Test Results Year 2018	19	90til /0tile = 0.7	рро	0	_	erosion of natural deposits.				
Nickel	N	Range = $2.0 - 2.4$	nnh	_	_	Erosion of natural deposits.				
Test Results Year 2018	IN	Highest Detct = 2.4	ppb	_	_	erosion of natural deposits.				
Nitrate (as Nitrogen)	N	Range = $0.57 - 2.7$		10	10	Runoff from fertilizer use; leaching from septic				
Fest Results Year 2018	IN	Highest detect = 2.7	ppm	10	10	tanks, sewage; erosion of natural deposits.				
	N	-		50	50					
Selenium Fest Results Year 2018	Ν	Range = $2.5 - 6.9$	ppb	50	50	Discharge from petroleum and metal refineries;				
		Highest detect $= 6.9$				erosion of natural deposits; discharge from mines				
Secondary Contaminants		n 10		1	DTT 0.00					
Aluminum	Ν	Range = ND	ppm	-	RUL = 0.20	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect = ND			DVH 0.50					
Chloride	Ν	Range = 46 - 240	ppm	-	RUL = 250	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect $= 240$								
Foaming Agents (Surfactants)	Ν	Range = $ND - 0.24$	ppm	-	RUL = 0.5	Detergents.				
Test Results Year 2018		Highest Detect = 0.24								
Iron	Ν	Range = ND	ppm	-	RUL = 0.3	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect = ND								
Manganese	Ν	Range = $ND - 6.10$	ppb	-	RUL = 50	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect $= 6.10$								
Sodium	Ν	Range = $12.2 - 21.2$	ppm	-	RUL = 50	Erosion of natural deposits.				
Test Results Year 2018		Highest detect $= 21.2$								
Sulfate	Ν	Range = 13 - 18	ppm	-	RUL = 250	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect = 18								
Zinc	Ν	Range = $8.94 - 13.80$	ppb	-	RUL = 5,000	Occurs naturally in drinking water.				
Test Results Year 2018		Highest detect $= 13.80$								
Hardness (Carbonate)	Ν	Range = 190 - 280	ppm	-	RUL = 250	Natural characteristic of water caused by				
Test Results Year 2018		Average = 250				dissolved calcium and magnesium.				
		Average = 15	Grains	-	-					
Volatile Organic Contaminants /	Disinfectio	n By-Products								
ГТНМ	Ν	Highest LRAA – 21	ppb	N/A	80	By-product of drinking water disinfection.				
Total Trihalomethanes		Range = $7 - 21$								
Test Results Year 2018		Average = 14								
HAA5	N	Highest LRAA – 4	ppb	N/A	60	By-product of drinking water disinfection.				
Haloacetic Acids		Range = $3 - 4$								
Test Results Year 2018		Average = 3.5								
Regulated Disinfectants	1	Level Detected		MRDL	MRDLG	Likely Source of Contamination				
Chlorine		Average = 0.422	npm	4.0	4.0	Result of water disinfection.				
Test Results Year 2018		Range = $0.19 - 0.57$	ppm		U	itestate of water distincetion.				

SOURCE WATER ASSESSMENT

The New Jersey Department of Environmental Protection (NJDEP) completed and issued the Source Water Assessment Report and Summary for this public water system, which is available at *http://www.nj.gov/dep/watersupply/swap/index.html* or by contacting the NJDEP's Bureau of Safe Drinking Water at (609) 292-5550. The Borough water system's source water susceptibility ratings and a list of potential contaminant sources are listed below. In addition to the information regarding the Borough water system's Source Water Assessment, you may also contact Norman F. Nelson, P.E., at (609) 987-2323.

The source water assessment performed on our four (4) active wells and one (1) inactive well water sources determined the susceptibility ratings for the seven categories (and radon) for each source in the system; the results are summarized in Table #1 below. Table #1 provides the number of wells that rated high (H), medium (M), or low (L) for each contaminant category. The seven categories are defined at the bottom of the table.

If a system is rated highly susceptible for a contamination category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the <u>potential</u> for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels.

Table #1 Susceptibility Ratings for Pennington Water Department Sources

	Pa	thoge	ns	N	utrien	ts	Pe	esticid	es	Volatile Organic Compounds		Inorganics		Radio- nuclides		Radon		l	Disinfection Byproduct Precursors					
Sources	Н	М	L	Н	М	L	Η	Μ	L	Н	М	L	Н	М	L	Н	М	L	Н	Μ	L	Н	М	L
Wells – 5		3	2	5				2	3	4		1	3	2			5		5				5	

• Pathogens: Disease-causing organisms such as bacteria and viruses. Common sources are animal and human fecal wastes.

- Nutrients: Compounds, minerals and elements that aid growth, that are both naturally occurring and man-made. Examples include nitrogen and phosphorus.
- Volatile Organic Compounds: Man-made chemicals used as solvents, degreasers, and gasoline components. Examples include benzene, methyl tertiary butyl ether (MTBE), and vinyl chloride.
- **Pesticides:** Man-made chemicals used to control pests, weeds and fungus. Common sources include land application and manufacturing centers of pesticides. Examples include herbicides such as atrazine, and insecticides such as chlordane.
- **Inorganics:** Mineral-based compounds that are both naturally occurring and man-made. Examples include arsenic, asbestos, copper, lead, and nitrate.
- **Radionuclides:** Radioactive substances that are both naturally occurring and man-made. Examples include radium and uranium.
- **Radon:** Colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to http://www.nj.gov/dep/rpp/radon/index.htm or call (800) 648-0394.
- **Disinfection Byproduct Precursors:** A common source is naturally occurring organic matter in surface water. Disinfection byproducts are formed when the disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.

Potential contaminant sources within our source water assessment area are listed in *Appendix A- Attachment 1* of the *Source Water Assessment Report for Pennington Water Department*, available at *http://www.nj.gov/dep/watersupply/swap/index.html* or by contacting the NJDEP, Division of Water Supply and Geoscience at (609) 292-5550.

NJDEP calculated the percentage of community water systems in New Jersey that rated high, medium, and low for each of the potential contaminant categories. To understand how our water sources compare to all other community water system groundwater sources, please refer to Table #1 above and Table #2 below.

Table #2

Summary of Statewide Susceptibility Ratings for Community Water System Groundwater Sources (in Percent, %)

Susceptibility Rating	Pathogens	Nutrients	Pesticides	Volatile Organic Compounds	Inorganics	Radio- nuclides	Radon	Disinfection Byproduct Precursors
High	4	48	0	44	27	35	36	22
Medium	40	22	23	0	38	45	38	76
Low	56	31	77	56	35	20	26	2

IMPORTANT DROUGHT INFORMATION AND HOW YOU CAN HELP SAVE WATER

No current water use restrictions or exemptions exist at this time, but NJDEP urges everyone to use water wisely in order to not deplete New Jersey's water resources. More information on drought related matters can be found at *www.njdrought.org*.

The Pennington Water Company is always trying to conserve water. We are constantly looking and listening for water leaks and sources of wasted water. We encourage all Borough residents to help us by being observant and if you suspect a possible water leak or misuse of water, please contact us at (609) 737-9440.

In addition, you can make a difference by saving water. Here are a few quick tips for conserving water, even in nonemergency times:

- Install water conserving showerheads and faucet aerators in the bathroom and kitchen (available at most home improvement stores as well as some supermarkets);
- Turn off faucets when not in use, such as brushing your teeth or washing the dishes;
- Run washing machines and dishwashers only when they are full;
- Use a broom to sweep the sidewalk, rather than a hose;
- Water lawns only as needed. In New Jersey, usually one inch of water per week is all that is needed to maintain a healthy lawn. Irrigation timers should be set to water in the early morning (before 10 am) and should be turned off during and after rainfall;
- Water lawns (and outdoor plants) in the early morning hours (before 10 am) for shorter, more frequent periods to allow time for the soil to absorb the water and enable roots to grow deep, while avoiding rot and encouraging drought tolerance;
- Use mulch and native plants to conserve water in the garden;
- Use a rain barrel to capture water from a downspout to use later for watering gardens and plants;
- Use soaker hoses or drip irrigation to water trees, gardens and flower beds;

For more detailed information, please go to *www.h2ouse.org* to enter an interactive water conserving website sponsored by the United States Environmental Protection Agency and the California Urban Water Conservation Council. Here you will find useful information on how you can conserve water in and outside your home, product information, environmental benefits and cost estimates, along with a water calculator to figure where you can conserve water in your daily routine. Remember, if we all do a little, we can save a lot!

LEAK DETECTION

The NJDEP Division of Water Resources requires the Borough to account for the water that is withdrawn from the ground. The greatest amount of water that can be withdrawn from the ground and not metered is 15 percent. Called "unaccounted for water", this can include water lost to leaks, inaccurate meters, unmetered connections, hydrant use and theft of water.

In 2014, the water source meters were tested for accuracy by a certified agency. Based on a comprehensive water audit, the Borough has replaced all of its large size water meters due to their age and accuracy. In addition to replacing the large meters, the Borough is considering replacing all residential water meters with the newest technology in meter reading and billing procedures. In November 2017, a consultant performed a comprehensive survey using sophisticated listening devices to check half of the water distribution system for leaks. In the fall of 2018, a consultant performed the comprehensive survey of the other half of the water distribution system for leaks. As a result of the survey, four (4) water service line leak were detected; all leaks were repaired. In the fall of 2019, another comprehensive survey will be performed on half of the water distribution system for leaks and subsequently repairs the identified leaks. In addition to conducting comprehensive leak detection surveys, when a real estate transaction occurs, the Department performs a house inspection, which includes checking the water service line to the property for leaks and verifying the water meter reading.

WATER LEAKS MEAN MORE THAN WATER DOWN THE DRAIN

What appears to be an insignificant little leak from a faucet, pipe, toilet or garden hose is more serious than it may appear, and it will certainly affect something very important to you – your budget.

Your water meter measures the water that is used in your home, but it can't tell the difference between a leak and things you normally choose to do with water. In many cases, the cost and effort involved in fixing a leak is minimal; but as the chart below shows, the smallest leak in your home can result in a tremendous amount of water that you never use – but pay for just the same.

A continuous leak from a hole in a pipe, with a diameter 3/16", at 60 psi of pressure results in a loss of 666,000 gallons per year.

And even if the job calls for a plumber, you still come out ahead for a simple reason – you only pay for the water you use.

Diameter of Stream (in Inches)	<u>Water Wasted</u> (in Gallons per year)						
1/32	18,500						
1/16	74,000						
1/8	296,000						
1/4	1.181.500						



Note: Based on a water pressure of 60 pounds per square inch.

A dripping faucet or fixture can waste 3 gallons of water a day, or a total of 1,095 gallons a year. Leaky faucets usually mean worn washers. They cost only a few cents and are relatively easy to replace. If you have never tackled a job like this before, you may want to consult a home repair guide or even call a plumber. It may be well worth it.

There is a simple way to determine if you have leaks in your home using your water meter. Before going to bed, turn off all the faucets and appliances that use water (don't forget a water softener that might operate at night). Then make a note of your meter reading. Before you use any water the next morning, take another reading. If the readings are different, you know your home has at least one leak. Finding and repairing leaks in your home is always a good idea. Don't allow your hard-earned dollars to leak away.

Toilets that leak can waste thousands of gallons of water a month. The problem is usually in the toilet tank, where water escapes down the overflow tube or past the plunger ball. One way to detect plunger ball leaks is to add a few drops of food coloring to the tank. If the coloring shows in the bowl within a half-hour without flushing, take one of the following steps:

- Align the plunger ball so that it fits snugly into the valve seat.
- Replace the plunger ball if it appears to be worn.
- Smooth a corroded or scaly valve seat with an emery cloth, or replace it if it is badly worn.

Finally, if you suspect a leak or problem with the Borough's water distribution system, such as observing running or spouting water along the ground surface or unusually low water pressure, please contact the Borough and advise us of your observations.

LAWN AND GARDEN

Summer is also the time when people, animals and plants drink plenty of water. But not all landscaping requires water to survive, and there are ways to make the water you use more effective.



Grass can survive periods of months at a time with no water. The color changes, but the grass does not die. It merely goes dormant. (Grass does not grow in the winter, yet it does not die). It takes an inordinate amount of water to keep a lawn green through the hottest portions of summer; more than we can really spare.

Watering landscaping and especially lawn areas while the sun is up is wasteful. Since the heat of the sun has warmed the ground, most of the water that is applied is evaporated into the air. Watering in the morning an hour before sunrise, or in the evening two hours after sunset, provides the most effective and efficient watering.

MASTER PLANNING

Master planning is a very important daily and ongoing activity. In order to ensure an adequate source of water supply and infrastructure for the future, the Water Company participates with the planning activities of the Borough Council, the Planning Board, the Building Department and the neighboring community. This allows us to supply existing and potential customers with vital information required for successful community planning.

WATER SYSTEM IMPROVEMENTS

Since the late 1980s, water mains throughout the Borough have been routinely replaced in order to provide uninterrupted water supply for hundreds of customers. Prior to the resurfacing of roadways, we evaluate the need for replacement of the existing water lines and proceed accordingly. In 2016 the water mains and service lines were replaced within the public right-of-way along Upper King George Road and Park Avenue in combination with the resurfacing of Upper King George Road and Park Avenue Project. In 2018, the water mains and service lines within the public-right-of-way along East Curlis Avenue and Weidel Drive were replaced. The project to resurface East Curlis Avenue and Weidel Drive will commence in 2019.

In addition, each year a revolving number of service lines are replaced. A "service line" is the portion of piping from the water main to the property line that is under the roadway and under the jurisdiction of the Water Company. We make sure that older services of galvanized iron are replaced with modern copper before the associated roadways are resurfaced.

Borough of Pennington 30 North Main Street Pennington, N.J. 08534

OPEN IMMEDIATELY

ANNUAL DRINKING WATER REPORT

Important Information

If you have any questions about this report or your water utility, please contact Norman F. Nelson, P.E., at (609) 987-2323. We want our valued customers to be informed about their water utility. If you wish to learn more, please attend any of our regularly scheduled Borough Council meetings at Borough Hall, 30 North Main Street. Meetings are held on the first Monday of each month at 7:00 p.m. For more information on Borough events and notices, please visit the Borough's website: http://www.penningtonboro.org/.